

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 1 of 16

Applicant: Shenzhen Dream Colour printing company Limited**Address:** No.92,Jinye Road,Kuichong Street,Dapeng New District. 518120,Shenzhen China

The following sample(s) and sample information was/were submitted and identified by client as:

Sample Name: Noteology Punchboard**Lot No.:** 9781068253904 Single card, 9781068253911 Compact set**Labeled Age Grade:** Not provided**Laboratory evaluated Age Grade:** 3 years and up**Tested Age Grade:** 3 years and up**Applicant's requests Age Grade:** 3 years and up**Goods Exported to:** USA & UK**Country of Origin:** China**Buyer:** Noteology Limited**Brand:** Noteology**Receiving Date:** Dec 22, 2025**Test Period:** From Dec 22, 2025 to Dec 26, 2025

*****Please refer to the following page for detailed results*****

Authorized Signatory

Mark
(Technical Director)

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 2 of 16

Test Summary:

#	Test Item(s)	Conclusion
1	Mechanical and Physical Properties - ASTM F963-23	Pass
2	Flammability - ASTM F963-23	Pass
3	Soluble Migrated Elements - ASTM F963-23	Pass
4	Heavy Elements content - Total Lead (Pb) Content - ASTM F963-23	Pass
5	Phthalates - ASTM F963-23	Pass
6	Physical and Mechanical Test - CPSC-16 CFR Part 1500&1501	Pass
7	Flammability Test - CPSC-16 CFR Part 1500.44	Pass
8	Ban of Lead in paint and similar surface coating - CPSC-16 CFR Part 1303	Pass
9	Phthalates - CPSC-16 CFR Part 1307	Pass
10	Tracking labels for children's products - CPSIA Section 103	Pass
11	Total Lead (Pb) - CPSIA H.R.4040 Sec.101	Pass
12	Phthalates - Consumer Product Safety Improvement Act of 2008(H.R.4040 Sec.108)& H.R.2715 amendment &16 CFR Part1307	Pass
13	Mechanical and Physical Properties - BS EN 71-1:2014+A1:2018 (Except Clause 7)	Pass
14	Flammability - BS EN 71-2:2020	Pass
15	Safety of Toys: Migration of Certain Elements - BS EN 71-3:2019+A2:2024	Pass

Result:

1. Mechanical and Physical Properties - ASTM F963-23

Clause	Parameter	Results
4	Safety Requirements	
4.1	Material quality	P
4.2	Flammability Test	P
4.3.7	Stuffing Materials	NA
4.4	Electrical/Thermal Energy◊	NA
4.5	Sound-producing toys	NA
4.6	Small objects	NA
4.6.1	Toys intended for children under 36 months of age	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	Toys and games intended for children at least 36 months but less than 72 months	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 3 of 16

Clause	Parameter	Results
4.10	Wires or Rods	NA
4.11	Nails and Fastens	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, Clearance and Accessibility of mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery - Operated Toys	NA
4.25.1	The toy shall be marked permanently on the battery compartment or on the area immediately adjacent to the battery compartment to show the correct battery polarity using the polarity symbols “+” and “-”	NA
4.25.2	The maximum allowable direct current potential between any two accessible electrical points is 24 V nominal	NA
4.25.3	Battery-operated toys shall be designed so that it is not possible to charge any non-rechargeable battery	NA
4.25.4	Battery Accessibility	NA
4.25.5	Batteries of different types or capacities shall not be mixed within any single electrical circuit	NA
4.25.6	The surfaces of the batteries shall not achieve temperatures exceeding 71°C	NA
4.25.7	No condition shall occur that would cause the toy to fail the temperature requirements of 4.25.6 or present a combustion hazard as described in 4.25	NA
4.25.8	Battery-operated toys shall meet the requirements of 6.5 for instructions on safe battery usage. Toys which use non-replaceable batteries as the only source of power are not subject to 6.5	NA
4.25.9	Battery-Powered Ride-On Toys—These requirements apply to circuits within wheeled ride-on toys, not intended for streets or roadways, using a battery power source that is capable of delivering at least 8 amps into any variable resistor load for a minimum of one minute when tested in 8.18.2	NA
4.25.10	Toys that Contain Secondary Cells or Secondary Batteries	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 4 of 16

Clause	Parameter	Results
4.27	Stuffed and Beanbag - Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toys Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys [†]	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials [†]	NA
4.41	Toy Chests	NA
5	Labeling Requirement	
5.1	Federal Government Requirements	P
5.2	Age Grading Labeling	P
5.3	Safety labeling requirements	NA
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small objects, small balls, marbles, and balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery - Operated Toys	NA
5.15	Promotional Materials	P
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	P
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery - Operated Toys	NA

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 5 of 16

Clause	Parameter	Results
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	Custody and description of specialty or custom tool	NA
7	Producer's marking	
7.1	Producer's marking	P
7.2	Battery – Powered Ride on Toys	NA
7.3	Toy Chests	NA

Remark P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.

2. Flammability - ASTM F963-23

Clause	Parameter	Results
4.2	Flammability	P

Remark P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.

3. Soluble Migrated Elements - ASTM F963-23

With reference to 8.3 in ASTM F963-23, determined by ICP-OES

Surface Coating

Test Item(s)		Result	Limit (mg/kg)	MDL (mg/kg)
		1		
1	Soluble Antimony (Sb)	N.D.	60	5
2	Soluble Arsenic (As)	N.D.	25	2
3	Soluble Barium (Ba)	N.D.	1000	5
4	Soluble Cadmium (Cd)	N.D.	75	5
5	Soluble Chromium (Cr)	N.D.	60	5
6	Soluble Lead (Pb)	N.D.	90	5
7	Soluble Mercury (Hg)	N.D.	60	5
8	Soluble Selenium (Se)	N.D.	500	5
Conclusion		Pass	-	-

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 6 of 16

Non-modelling clay

Test Item(s)		Result	Limit (mg/kg)	MDL (mg/kg)
		2		
1	Soluble Antimony (Sb)	N.D.	60	5
2	Soluble Arsenic (As)	N.D.	25	2
3	Soluble Barium (Ba)	9	1000	5
4	Soluble Cadmium (Cd)	N.D.	75	5
5	Soluble Chromium (Cr)	N.D.	60	5
6	Soluble Lead (Pb)	N.D.	90	5
7	Soluble Mercury (Hg)	N.D.	60	5
8	Soluble Selenium (Se)	N.D.	500	5
Conclusion		Pass	-	-

Remark (a) mg/kg: milligram per kilogram
 (b) N.D.: Not detected (result is less than MDL)

4. Heavy Elements content - Total Lead (Pb) Content - ASTM F963-23

With reference to 8.3 in ASTM F963-23 and CPSC-CH-E1001-08.3(Metal Substrate), CPSC-CH-E1002-08.3(Non-metal Substrate), CPSC-CH-E1003-09.1(Surface Coating), determined by AAS

Surface Coating

Test Item(s)		Result	Limit (mg/kg)	MDL (mg/kg)
		1		
1	Lead (Pb)	N.D.	90	10
Conclusion		Pass	-	-

Remark (a) mg/kg: milligram per kilogram
 (b) N.D.: Not detected (result is less than MDL)

5. Phthalates - ASTM F963-23

CPSC-CH-C1001-09.4, Solvent extract and determined by GC-MS

Test Item(s)		CAS No.	Result	Limit (%)	MDL (%)
			1		
1	Diisobutyl phthalate (DIBP)	84-69-5	N.D.	0.1	0.005
2	Dibutyl phthalate (DBP)	84-74-2	N.D.	0.1	0.005
3	Di-n-pentyl phthalate	131-18-0	N.D.	0.1	0.005

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 7 of 16

	(DPENP)				
4	Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	0.1	0.005
5	Benzylbutyl phthalate (BBP)	85-68-7	N.D.	0.1	0.005
6	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	N.D.	0.1	0.005
7	Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	0.1	0.005
8	Di-'isononyl' phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	0.1	0.005
Conclusion		-	Pass	-	-

Remark (a) N.D.: Not detected (result is less than MDL)

6. Physical and Mechanical Test - CPSC-16 CFR Part 1500&1501

Clause	Parameter	Results
1500.48	Sharp point	P
1500.49	Sharp edge	P
1500.50	Test methods for simulating use and abuse of toys and other articles intended for use by children	P
1500.51	Test methods for simulating use and abuse of toys and other articles intended for use by children 18 months of age or less	NA
1500.52	Test methods for simulating use and abuse of toys and other articles intended for use by children over 18 but not over 36 months of age	NA
1500.53	Test methods for simulating use and abuse of toys and other articles intended for use by children over 36 but not over 96 months of age	P
1501	Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	Exemption
1510	Rattle	NA

Remark P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.

7. Flammability Test - CPSC-16 CFR Part 1500.44

Test Method: 16 CFR PART 1500.44

Sample	Average burn time (Inch/Sec)	CLASSIFY
Noteology Punchboard	DNI	Pass

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 8 of 16

Remark (a) P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.
 (b)DNI = Did Not Ignite
 (c) IBE = Ignited But Extinguished
 (c) N/A = Not Applicable
 (d) Burning rate should not exceed 0.1 inch per second along the major axis as per 16 CFR 1500.3 Section (C) (6) (Vi)

8. Ban of Lead in paint and similar surface coating - CPSC-16 CFR Part 1303

CPSC-CH-E1003-09.1(Surface Coating), determined by AAS

Surface Coating

Test Item(s)	Result	Limit (mg/kg)	MDL (mg/kg)
	1		
1 Pb	N.D.	90	10
Conclusion		Pass	-

Remark (a) mg/kg: milligram per kilogram
 (b) N.D.: Not detected (result is less than MDL)

9. Phthalates - CPSC-16 CFR Part 1307

CPSC-CH-C1001-09.4, Solvent extract and determined by GC-MS

Test Item(s)	CAS No.	Result	Limit (%)	MDL (%)
		1		
1 Dibutyl phthalate (DBP)	84-74-2	N.D.	0.1	0.005
2 Benzylbutyl phthalate (BBP)	85-68-7	N.D.	0.1	0.005
3 Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	N.D.	0.1	0.005
4 Diisobutyl phthalate (DIBP)	84-69-5	N.D.	0.1	0.005
5 Di-n-pentyl phthalate (DPENP)	131-18-0	N.D.	0.1	0.005
6 Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	0.1	0.005
7 Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	0.1	0.005
8 Di-'isononyl' phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	0.1	0.005
Conclusion		Pass	-	-

Remark (a) N.D.: Not detected (result is less than MDL)

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 9 of 16

10. Tracking labels for children's products

Test Item(s)	Standard/Clause	Criteria	Results
Tracking labels for children's products	CPSIA Section 103	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the Presence only. The accuracy of tracking labeler on the tracking label will not be verified.	Pass

11. Total Lead (Pb) - CPSIA H.R.4040 Sec.101

CPSC-CH-E1001-08.3(Metal Substrate), CPSC-CH-E1002-08.3(Non-metal Substrate), CPSC-CH-E1003-09.1(Surface Coating), determined by AAS

Surface Coating

Test Item(s)	Result		Limit (mg/kg)	MDL (mg/kg)
	1	N.D.		
1 Lead (Pb)		N.D.	90	10
Conclusion		Pass	-	-

 Remark (a) mg/kg: milligram per kilogram
 (b) N.D.: Not detected (result is less than MDL)

12. Phthalates - Consumer Product Safety Improvement Act of 2008(H.R.4040 Sec.108)& H.R.2715 amendment & 16 CFR Part1307

CPSC-CH-C1001-09.4, Solvent extract and determined by GC-MS

Test Item(s)	CAS No.	Result		Limit (%)	MDL (%)
		1	N.D.		
1 Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7		N.D.	0.1	0.005
2 Dibutyl phthalate (DBP)	84-74-2		N.D.	0.1	0.005
3 Benzylbutyl phthalate (BBP)	85-68-7		N.D.	0.1	0.005
4 Di-'isononyl' phthalate (DINP)	28553-12-0 , 68515-48-0		N.D.	0.1	0.005
5 Diisobutyl phthalate (DIBP)	84-69-5		N.D.	0.1	0.005
6 Di-n-pentyl phthalate (DPENP)	131-18-0		N.D.	0.1	0.005
7 Dicyclohexyl phthalate (DCHP)	84-61-7		N.D.	0.1	0.005

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 10 of 16

8	Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	0.1	0.005
	Conclusion	-	Pass	-	-

Remark (a) N.D.: Not detected (result is less than MDL)

13. Mechanical and Physical Properties - BS EN 71-1:2014+A1:2018

Clause	Parameter	Results
4	General requirements	P
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.14.1	Toys which a child can enter	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles toys	NA
4.17.1	General	NA
4.17.2	All projectiles	NA

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 11 of 16

Clause	Parameter	Results
4.17.3	Projectile toys with stored energy	NA
4.17.4	Certain projectile toys without stored energy	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source \diamond	NA
4.22	Small ball	NA
4.23	Magnets	NA
4.23.1	General	NA
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	NA
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	NA
5.1	General requirement	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small ball	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings and instructions for use	
7.1	General	NC
7.2	Toys not intended for children under 36 months	NC
7.3	Latex balloons	NC

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 12 of 16

Clause	Parameter	Results
7.4	Aquatic toys	NC
7.5	Functional toys	NC
7.6	Hazardous sharp functional edges and points	NC
7.7	Projectile toys	NC
7.8	Imitation protective masks and helmets	NC
7.9	Toy kites	NC
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NC
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NC
7.12	Liquid-filled teethers	NC
7.13	Percussion caps specifically designed for use in toys	NC
7.14	Acoustics	NC
7.15	Toy bicycles	NC
7.16	Toys intended to bear the mass of child	NC
7.17	Toys comprising monofilament fibres	NC
7.18	Toy scooters	NC
7.19	Rocking horses and similar toys	NC
7.20	Magnetic/electrical experimental sets	NC
7.21	Toys with electrical cables exceeding 300 mm in length	NC
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NC
7.23	Toys intended to be attached to a cradle, cot or perambulator	NC
7.24	Sledges with cords for pulling	NC
7.25	Flying toys	NC
7.26	Improvised projectiles	NC

Remark P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.

14. Flammability - BS EN 71-2:2020

Clause	Parameter	Results
4	Requirements	P
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark P = Pass; NA = Not applicable; NC = Not conducted; F=Fail.

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 13 of 16

15. Safety of Toys: Migration of Certain Elements - BS EN 71-3:2019+A2:2024

General elements, determined by ICP-OES, ICP-MS

Chromium(VI), determined by LC-ICP-MS

Organic tin, determined by GC-MS

Category III: Scrapped-off toy material

Test Item(s)	Result		Limit (mg/kg)	MDL (mg/kg)
	1	2		
1 Soluble Aluminium (Al)	N.D.	225	28130	50
2 Soluble Antimony (Sb)	N.D.	N.D.	560	5
3 Soluble Arsenic (As)	N.D.	N.D.	47	0.1
4 Soluble Barium (Ba)	N.D.	13	18750	10
5 Soluble Boron (B)	N.D.	20	15000	10
6 Soluble Cadmium (Cd)	N.D.	N.D.	17	0.1
7 Soluble Chromium (III)(Cr)	N.D.	N.D.	460	3
8 Soluble Chromium (VI)(Cr)	N.D.	N.D.	0.053	0.005
9 Soluble Cobalt (Co)	N.D.	N.D.	130	5
10 Soluble Copper (Cu)	N.D.	N.D.	7700	10
11 Soluble Lead (Pb)	N.D.	N.D.	23	1
12 Soluble Manganese (Mn)	N.D.	N.D.	15000	10
13 Soluble Mercury (Hg)	N.D.	N.D.	94	1
14 Soluble Nickel (Ni)	N.D.	N.D.	930	10
15 Soluble Selenium (Se)	N.D.	N.D.	460	10
16 Soluble Strontium (Sr)	N.D.	58	56000	50
17 Soluble Tin (Sn)	N.D.	N.D.	180000	2.0
18 Soluble Organic tin (Sn)	N.D.	N.D.	12	0.05
19 Soluble Zinc (Zn)	N.D.	N.D.	46000	50
Conclusion	Pass	Pass	-	-

Remark (a) mg/kg: milligram per kilogram
(b) N.D.: Not detected (result is less than MDL)

◊ = This item/clause is not included in CNAS Accreditation scope

Material List:

Material #	Sample Description / Position
1	Multicolor coating,card
2	White/brown paper,card

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 14 of 16

Photo(s):


Test Sample Photo

TEST REPORT

Report No.: DPHTL2512200096E

Issued Date: Dec 31, 2025

Page 15 of 16



<<<< END OF REPORT >>>>

Statement

- 1 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "DPHTL") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2 Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.
- 3 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 4 The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which DPHTL shall bear no responsibilities.
- 5 The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and DPHTL shall not bear related responsibilities.
- 6 The test report is effective only with both signature and specialized stamp. Without written approval of DPHTL, this report can't be reproduced in full or in part.
- 7 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 8 This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and DPHTL is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.
- 9 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 10 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 11 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 12 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of 6 years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract or warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.